Message

From: Hughes, Adam (IHS/PHX) [Adam.Hughes@ihs.gov]

Sent: 6/9/2014 11:14:34 PM

To: Reeves, Linda [Reeves.Linda@epa.gov]

CC: Lee, Bessie [Lee.Bessie@epa.gov]; Lorenz, Robert (IHS/PHX) [Robert.Lorenz@ihs.gov]; lpuhuyesva@hopi.nsn.us

Subject: FW: FY 2014 DWTSA Funds - Proposed Funding for the HAMP

Attachments: 2014 DWTSA HAMP request.pdf

Ms. Reeves,

Please find the formal request letter and detailed cost estimate attached.

Regards,

Adam Hughes, P.E. LCDR, USPHS Senior Environmental Engineer Indian Health Service 5448 S. White Mountain Blvd, Suite 220

Lakeside, AZ 85929 phone: 928-537-0578 fax: 928-537-3060

From: Lee, Bessie [mailto:Lee.Bessie@epa.gov]

Sent: Monday, June 09, 2014 10:04 AM

To: Reeves, Linda; Banks, Karl; McKinley, Helen; Andrew, Sallach; ZIFF, SARA

Cc: Hughes, Adam (IHS/PHX); lpuhuyesva@hopi.nsn.us; Lorenz, Robert (IHS/PHX); Hamilton, John (IHS/PHX)

Subject: FY 2014 DWTSA Funds - Proposed Funding for the HAMP

IHS will be requesting \$985,000 for FY 2014 DWTSA funding for the Hopi Arsenic Mitigation Project. The funding will be to complete one of the segments of the HAMP (for the villages of Mishongnovi and Sipaulovi). This segment includes the installation of a 110,000 gallon storage tank, construction of about 2 miles of transmission main (i.e., to the new tank), install a disinfection facility, and activities/equipment associated with the construction activities (e.g., hydrogeological survey, start up activities). Since the proposed funding is for construction activities, I have suggested to IHS that IHS request that this pot of money be under a new IA.

IHS will be sending a formal proposal, with schedule and detailed budget, for the FY 2014 DWTSA funding early this week (week of June 9, 2014).

 $\sim\sim\sim\sim\sim\sim\sim\sim$

Bessie Lee

 $\sim\sim\sim\sim\sim\sim\sim$

Drinking Water Office (WTR-6) U.S. Environmental Protection Agency, Region 9 75 Hawthorne Street

San Francisco, California 94105

Phone: (415) 972-3776 Fax: (415) 947-3549

E-mail: <u>lee.bessie@epa.gov</u>